

XCMG FOR YOUR SUCCESS



XUZHOU CONSTRUCTION MACHINERY GROUP IMP.&EXP.CO.,LTD
Add:XCMG Headquarters,Xuzhou Economic Development Zone,Jiangsu,China 221004



www.xcmg.com

Please contact with our district agent:



Materials and specifications are subject to change without notice.

2010.10



Brief Introduction to XCMG

XUZHOU CONSTRUCTION MACHINERY GROUP CO.,LTD.

XCMG PRODUCT LINE



Xuzhou Construction Machinery Group Co. Ltd. (XCMG), consisting of 26 factories and more than 20,000 employees, has been the largest company that produces construction equipment in China since it was merged and found in 1989.

It is featured with successful international co-operation marked with many Joint Ventures with the world famous enterprises of construction equipment, such as Caterpillar, Meritor and PAT, and transferring a lot technology from advanced countries in the past twenty years.

It is well known with its products range covering almost all kinds of construction machinery, including all terrain truck crane, truck cranes, crawler cranes, pick and carry cranes, truck mounted cranes, compactors, finishers, loaders, mini-loaders, and backhoes, motor graders, excavators, concrete equipment, drilling rigs, and aerial fire platforms.

Moreover, all the factories in XCMG just locate in or around one city --Xuzhou, which is in the east part of China, close to the sea and at the midpoint between Beijing and Shanghai, easily arrived from these two and other main cities in China by air.

Page 3
All Terrain Truck Cranes
Crawler Cranes
Series Truck Crane System
Hydraulic Truck Cranes

Page 4
Hydraulic Truck Crane (K series)
Crawler Bulldozers Mini-loaders
Wheel Loaders
Telescopic Forklift

Page 5
Aerial Platform Fire Trucks Series

Water Tower Fire Trucks Series
Aerial Platform Fire Fighting Trucks
Motor Graders
Truck Mounted Concrete Pumps

Page 6
Hydraulic Excavator/Truck Mounted
Truck Cranes Ror Oilfield
Asphalt Concrete pavers
Mini-loaders


Page 7
Vibratory Compactors (XS Series)
Horizontal Directional Drill
Pick & Carry Crane
Backhoe Loaders
Static Compactors

Page 8
Skid Steer Loader
Vibratory Asphalt Compactors
Pneumatic Compactors
Cold Milling Machines
Vibratory Compactors

Page 9
Rotary Drilling Rigs
Asphalt Plants
Garbage Compression Stations
Aerial Work Platform
Garbage Truck Series

Page 10
Truck Mounted Cranes
High and Low Aerial Work Platform
Bridge Inspection Truck Series
Tipper
Bridge Inspecting Platform
Tractor Truck

The Largest Construction Machinery Manufacturer and Exporter in China.



All Terrain Truck Cranes

Model	Max. load moment kN.m	Max.lifting capacity t	Max.lifting height with jib m
QAY130	4120	130	70
QAY160(CE)	5280	160	79
QAY200(CE)	6774	200	82.1
QAY240	7797	240	85.7
QAY260	7980	260	70-36
QAY300	9526	300	72.9
QAY400	12348	400	96
QAY500	15322	500	145



Hydraulic Truck Crane (K series)

Model	Max. lifting cap. t/m	Lifting height main jib(m)	Lifting radius m
QY25K	25/3	32.5/40.8	29
QY25K5/QY25K5(CE)	25/3	38.5/46.8	34
QY30K5	30/3	38.7/47.8	32
QY40K	40/3	40.4/54.6	32
QY50K/QY50K(CE)	50/3	40/55.8	30
QY60K	60/3	42/58	32
QY70K/QY70K(CE)	70/3	42/58	36
QY80K	80/3	45/61	36
QY100K/QY100K(CE)	100/3	43.5/66	42
QY130K	130/3	58/86	52




Hydraulic Truck Cranes

Model	Max. lifting cap. t	Lifting height main jib(m)	Lifting radius m
QY12	12/3	20.81	19
QY16C	16/3	23.6/30.8	24
QY16D	16/3	30.7/38.5	22
QY25C	25/3	31.5/39.2	29
QY50B	50/3	40.31/55.8	30



Truck Mounted Concrete Pumps

Model	Reachable height m	Max. output m³/h	Max concrete pressure Mpa
HB37/HB37(CE)	37	138/90	8.7/13
HB44/HB44(CE)	44.1	138/90	8.7/13
HB48/HB48(CE)	47.1	138/90	8.7/13
HB52/HB52(CE)	52	138/90	8.7/13
HB56/HB56(CE)	56	100/163	13/8



Crawler Cranes

Model	Max.lifting cap t	Engine Power kW
QUY50	50	115
QUY70	70	200
QUY90(CE)	80	200
QUY100	100	184
QUY150	150	231
QUY220	220	242
QUY260	260	242
QUY300	300	310
QUY450	450	383
QUY650	650	494



Aerial Platform Fire Fighting Trucks

Model	Working height m	Working radius m	Platform rated load KG	Watergun range m
CDZ32B	32	19	400	60
CDZ40	40	18	400	60
CDZ53	53	17	400	60



Telescopic Forklift

Model	Engine power kW	Max.lifting cap. kg	Max.lifting height m
XT1680-170	82	4500	16.7



Wheel Loaders

Model	Engine power KW	weight KG	Bucket cap. M³
ZL30G	85	10500	1.7
ZL30G(CE)	92	10500	1.8
ZL40G	125/128	15000	2.2
ZL50G	162	17500	3
ZL50G(CE)	153	18000	3
LW640G	174	20500	3.3
LW640G(CE)	174	20500	6
ZL80G	224	28000	8
LW800G	231	28000	4.5
LW900F	92	10000	1.8
LW900F	162/164	16600	3
LW900K	92	10600	1.8
LW900K-III/III	92	10600	1.8
LW400K-II	125	14200	2.4
LW500K	162/164	16600	3
LW500K-III/III	162/164	16800	3
LW600K	179	20000	3.5
LW800K	250	28500	4.6



Mini-loaders

Model	Engine power KW	Bucket cap. m³	Rated load kg
LW168G	45	0.9	1.6
LW168G(CE)	51	0.9	1.6
LW188G	60	1.0	1.8




Hydraulic Excavator

Model	Engine power KW	Oper-weight KG	Bucket cap. M³
XE15	16.5	1760	0.044
XE18	16.5	1760	0.044
XE40	27.1	4050	0.14
XE60	39	5920	0.23
XE80	60	7425	0.34
XE90D	53.1	8900	0.36
XE150	85.4	13000	0.53
XE150D	69.6	13100	0.53
XE210	103	21500	0.91
XE230	125	23520	1
XE250	125	24670	1.2
XE330	185.4	33100	1.45
XE360D	202	33600	1.62
XE450	235	44200	1.9



Motor Graders

Model	Engine power HP	Weight KG	Standard blade width m
GR100	75	7000	3048
GR135/GR135(CE)	100	11000	3710
GR165/GR165(CE)	125	15000	3965
GR180/GR180(CE)	138	15400	3965
GR200	147	19000	4270
GR215/GR215(CE)	153	19500	4270
GR215A/GR215A(CE)	164	18100	4270
GR215	160	18500	4270
GR300	224	29000	4920



Asphalt Concrete pavers

Model	Engine power KW	Paving width mm	Bucket cap. t
RP451L	50	2800-4500	11
RP601L/RP601(CE)	100	2500-6000	13
RP701L	100	2500-7000	13
RP752	110/125	2500-7500	14
RP755	110	3000-7500	14
RP802	110	3000-8000	14
RP801J	90	3000-6000	13
RP701J	90	3000-7000	13
RP902	137	3000-9000	14
RP951A	130	3000-9500	15
RP952	140	3000-9500	15
AT1000A	137	Asphalt Transport	
RP1356	182	2500-12000	14



Crawler Bulldozers

Model	Engine power HP	Weight KG	Blade
DL210F	200	16200	Straight
DL210G	200	17500	Straight
DT140B	140	17800	Tilt & angle
DS140B	140	19000	Straight
TY160	160	17400	Straight
TY230	230	24300	Straight
TY320	320	36700	Straight

Backhoe Loaders



Model	Engine power KW	Bucket cap. m ³	Digger cap. m ³
W250-25	85	1.0	0.3
XT876	82	1.0	0.3
XT870	82	0.8-1.2	0.25-0.35
XT880	60	0.8-1.2	0.2-0.25



Vibratory Compactors (Mechanical Driving)

Model	Engine power KW	Operating weight KG	Drum width mm
XS120/XS202J	150	18000	2178
XS122Z/N/S22ZJ	175	128	20000
XS142J	100	73.5	14600
XS162J	155	115	16000
XS182J	155	115	18000



Vibratory Compactors (XS Series)

Model	Engine power KW	Operating weight KG	Drum width mm
XS80	110	80	7800
XS120(XS120)(CE)	130	97	12500
XS122(CE)	127	99(III)	12000
XS142	130	97(III)	12000
XS152	155	113	14700
XS182	190	138	16800
XS182	170	125	18300
XS281	190	141	25600
XS202	190	141	20100
XS222	190	141	22500



Horizontal Directional Drill

Model	Rated power KW	Max. Pullback force kN	Backreaming Diameter mm
XZ160A	100	160	600
XZ160	100	180	600
XZ280	140	280	750



Pick & Carry Crane

Model	Engine Power(KW)	Max. Lifting Cap. m ³	Max. Lift Height (M) l
Z020	213	20	18.8

Cold Milling Machines



Model	Rated power W	Max. milling width mm	Max. milling depth mm
XM100	115	1020	120
XM101	125	1020	120
XM130	190	1320	315
XM200	440	2000	320



Pneumatic Compactors

Model	Engine power KW	Operating weight KG	Drum width mm
YL16C	59	9000-16000	2000
YL20C	73.5	16000-20000	2250
XP201	93	13000-20000	2250
XP262	115	14500-26000	2750
XP301	132	17000-30000	2750



Static Compactors

Model	Engine power KW	Operating weight KG	Drum width mm
3Y1215A	59	12000-15000	2120
3Y1821	73.5	18000-21000	2320
3Y2125	88	21000-25000	2422



Vibratory Asphalt Compactors

Model	Engine power KW	Operating weight KG	Drum width mm
XD31	20	2500	1100
XD41	30	4000	1300
XD11(XD11)(CE)	97	10900	1900
XD121	80	12300	2130
XD122	100	12300	2130
XD151	97	13000	2130
YZC7	51	7160	1450
YZC10	80	10000	1680



Skid Steer Loader

Model	Engine power KW	Bucket cap. m ³	Rated load t
XT740	39.9	0.42	0.75
XT750	50.8	0.55	0.95
XT760	60	0.65	1.1

Rotary Drilling Rigs



Model	Torque KN.m	Engine Power KW	Max. hole dia. M	Max. depth M
XR120	120	138	1.5	50
XR160	160	240	1.2-1.8	54
XR200	200	246	1.5-2.0	60
XR220	220	246	1.5-2.0	65
XR250	250	298	2.0-2.5	70
XR280	280	298	2.5	88
XR360	360	298	2.5	95



Asphalt Plants

Model	Rated cap. t/h	Output cap. t/h	Cold feed bin bins/m ³	Emission mg/Nm ³
LQC80	80	100	4/28	100
LQC120	120	140	4/28	50
LQC160	160	180	4/32	20
LQC240	240	260	5/55	20
LQC320	320	340	6/72	20



Garbage Truck Series

Model	RATED LOAD KG	VOLUME OF BODY m ³
XZJ5070ZY5	2700	5
XZJ5121ZY5	5200	8
XZJ5161ZY5	7155	12
XZJ5260ZY5	11000	16



Garbage Compression Stations

Model	Max. Weight Garbage block t	Daily amount of processing garbage t
XS-3000	7	90

Truck Mounted Cranes



Model	Max. lifting moment T.M	Rotating angle °	Crane weight KG
Telescoped			
SQ10SK3Q	25	All slewing	3800
SQ12SK3Q	30	All slewing	4200
SQ16SK5Q	40	All slewing	6200
Folded			
SQ10ZK3Q	20	All slewing	3477
SQ12ZK3Q	30	All slewing	4130
SQ16ZK4Q	40	All slewing	5600
SQ25ZK6Q	62.5	All slewing	7945



Tipper

Model	Drive style	Rated power KW	Gross vehicle weight KG
NXG3205DP	6X4	171	16995
NCL3258	6X4	206	24075
NXG3250D3KC	6X4	247	24995



Tractor Truck

Model	Drive style	Rated power KW	Max. towing weight KG
NXG4250D3KC	6X4	247	39900



Bridge Inspecting Platform

Model	Under the horizontal lifting platform M	Under the vertical lifting platform M	Span M
QJ07	0-8	0-10	1.8
QJ12	0-12	0-13.8	2.8
QJ16	0-16.37	0-20	2.8
QJ18L	0-16.37	0-20	3-4.8



Bridge Inspection Truck Series

Model	Length Of Telescope Boom mm	Distance Of Slewway Spacing mm	Height Of Guardrail Spacing mm
XZJ5311JQJ18	18000	2100-2500	2000



High and Low Aerial Work Platform

Model	Control on platform (m) load KG	Max. height of working platform M	Max. height of platform M
XZJ5130JGD15	200	15	16.7
XZJ5061JGK	200	16	16